

Application No.: 09/974710

Case No.: 55526US002

Amendments to the Claims:

The following Listing of Claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims

1. (Currently Amended) An article comprising at least one adhesive layer with a first major surface and a second major surface, wherein at least one of the first and second major surfaces is a structured surface; and a cap layer [in contact with] laminated to the [exposed] structured surface(s) of the adhesive layer wherein the exposed surface of the cap layer is unstructured.
2. (Original) The article of claim 1, wherein the cap layer is selected from a backing, a membrane, and an adhesive layer.
3. (Original) The article of claim 1, wherein the at least one adhesive layer comprises an adhesive selected from the group consisting of pressure sensitive adhesives, epoxy adhesives, structural adhesives, bonding adhesives, and combinations thereof.
4. (Original) The article of claim 3, wherein the pressure sensitive adhesive is selected from the group consisting of acrylics, natural and synthetic rubbers, ethylene vinyl acetate, vinyl ethers, silicones, poly(alpha-olefins), and combinations thereof.
5. (Original) The article of claim 1, wherein said article has a thickness of about 2 μm to about 500 μm .
6. (Previously presented) The article of claim 2, wherein the adhesive layer is either a structured adhesive layer or a non-structured adhesive layer.
7. (Original) The article of claim 1, further comprising at least one non-adhesive layer in contact with one of the first and second major surfaces.

Application No.: 09/974710

Case No.: 55526US002

8. (Previously presented) The article of claim 1, wherein the article comprises a non-structured exposed surface.
9. (Canceled)
10. (Original) The article of claim 1, wherein the article comprises a plurality of discrete reservoirs, each reservoir having a void volume of less than 100 μ l.
11. (Original) The article of claim 1, wherein the article comprises a plurality of channels.
12. (Original) The article of claim 10, wherein said reservoirs contain at least one deliverable or non-deliverable substance.
13. (Original) The article of claim 11, wherein said channels contain at least one deliverable or non-deliverable substance.
14. (Original) The article of claim 12, wherein the at least one deliverable or non-deliverable substance is selected from hormones, antibiotics, antimicrobials, antifungal agents, lotions, ointments, indicators, proteins, inks, dyes, drugs, and vibration-damping fluids.
15. (Original) The article of claim 12, wherein the at least one deliverable or non-deliverable substance is in the form selected from the group consisting of solids, liquids, gels, pastes, foams, powders, agglomerated particles, microencapsulated liquids, suspensions, and combinations thereof.

Application No.: 09/974710

Case No.: 55526US002

16. (Original) The article of claim 13, wherein the at least one deliverable or non-deliverable substance is selected from hormones, antibiotics, antimicrobials, antifungal agents, lotions, ointments, indicators, proteins, inks, dyes, drugs, and vibration-damping fluids.

17. (Original) The article of claim 13, wherein the at least one deliverable or non-deliverable substance is in the form selected from the group consisting of solids, liquids, gels, pastes, foams, powders, agglomerated particles, microencapsulated liquids, suspensions, and combinations thereof.

18. (Canceled)

19. (Original) The article of claim 1, wherein the cap layer is a laminate.

20. (Original) The article of claim 1, wherein the second major surface is a non-structured surface, the cap layer contacts the first major surface, and wherein the article further comprises a backing layer on the second major surface.

21. (Original) The article of claim 1, wherein the second major surface is a structured surface, the cap layer contacts the first major surface, and wherein the article further comprises a backing layer on the second major surface.

22. (Currently Amended) A tape comprising:

(a) at least one pressure sensitive adhesive layer comprising a first major surface and a second major surface, wherein the first major surface is a structured surface and the second major surface is a non-structured surface; and

(b) a non-adhesive cap layer [in contact with] laminated to the first major surface.

23. (Canceled)

24. (Canceled)

Application No.: 09/974710

Case No.: 55526US002

25. (Previously presented) The tape of claim 22, wherein the tape has a peel strength of at least 21-42 oz/0.5 inch for a thickness of 0.003 to 0.007 inches.

26. (Original) The tape of claim 22, further comprising a backing adjacent the second major surface.

27. (Original) The tape of claim 22, wherein the cap layer is a structured layer.

28. (Currently Amended) A laminate article comprising:

- (a) first adhesive layer having a first major surface and a second major surface, wherein at least one of the first and second major surfaces is a structured surface, and
- (b) a second adhesive layer having a first major surface and a second major surface, wherein at least one of the first and second major surfaces is a structured surface, wherein the first adhesive layer and the second adhesive layer are in contact.

29. (Original) The laminate article of claim 28, wherein the first major surface of the first adhesive layer is a structured surface and the second major surface of the first adhesive layer is a non-structured surface, and the first major surface of the second adhesive layer is a structured surface and the second major surface of the second adhesive layer is a non-structured surface, and the second major surface of the first adhesive layer contacts the first major surface of the second adhesive layer.

30. (Original) The laminate article of claim 28, further comprising a backing on the second major surface of the second adhesive layer.

31. (Original) The laminate article of claim 28, further comprising a cap layer on the first major surface of the first adhesive layer.

Application No.: 09/974710Case No.: 55526US002

32. (Original) The laminate article of claim 28, wherein the first major surface of the first adhesive layer contacts the first major surface of the second adhesive layer.

33. (Original) The laminate article of claim 28, further comprising a backing layer on the second major surface of the first adhesive layer.

34. (Original) The laminate article of claim 28, wherein the first adhesive layer has a first pattern of structures on the first major surface thereof and the second adhesive layer has a second pattern of structures on the first major surface thereof, and wherein the first pattern is substantially aligned with the second pattern.

35. (Original) The laminate article of claim 34, wherein the first pattern is misaligned with the second pattern.

36. (Withdrawn) A method for making a pre laminate, comprising: (a) applying an adhesive to a structured surface of a tool to form an adhesive layer with a structured surface and a non-structured surface; (b) laminating a backing to the non-structured surface of the adhesive layer to form a pre laminate; and (c) removing the pre laminate from the tool.

37. (Withdrawn) The method of claim 36, further comprising laminating a cap layer to the structured surface of the pre laminate.

38. (Withdrawn) The method of claim 36, wherein the cap layer is an adhesive layer.

39. (Withdrawn) The method of claim 38, wherein the adhesive layer is a structured adhesive layer.

40. (Withdrawn) The method of claim 36, wherein the cap layer is a backing.

41. (Withdrawn) The method of claim 40, wherein the backing is structured.

Application No.: 09/974710

Case No.: 55526US002

42. (Withdrawn) The method of claim 36, further comprising laminating a cap layer to the structured surface of the prelaminated.

43. (Withdrawn) The method of claim 42, further comprising removing the backing from the non-structured surface of the prelaminated.

44. (Withdrawn) A method for making a laminate, comprising: (a) providing a first prelaminated comprising a first adhesive layer with a structured first major surface and a non-structured second major surface, and a cap layer contacting the first major surface of the first prelaminated; and (b) providing a second prelaminated comprising a second adhesive layer with a structured first major surface and a non-structured second major surface, and a backing contacting the second major surface of the second prelaminated; and (c) contacting the second major surface of the first prelaminated to the first major surface of the second prelaminated.

45. (Withdrawn) The method of claim 44, further comprising filling a region between the first adhesive layer and the second adhesive layer with at least one a deliverable and a non-deliverable substance.

46. (Withdrawn) The method of claim 45, wherein the region is filled by coating.

47. (Withdrawn) The method of claim 45, wherein the region is filled under a vacuum.

48. (Withdrawn) A method for making a laminate, comprising: (a) providing a first prelaminated comprising a first adhesive layer with a structured first major surface and a non-structured second major surface, and a first backing layer contacting the second major surface of the first prelaminated; (b) providing a second prelaminated comprising a second adhesive layer with a structured first major surface and a non-structured second major surface, and a second backing layer contacting the second major surface of the second prelaminated; and (c) contacting the first major surface of the first prelaminated with the first major surface of the second prelaminated.

Application No.: 09/974710

Case No.: 55526US002

49. (Withdrawn) The method of claim 48, further comprising filling a region between the first adhesive layer and the second adhesive layer with at least one a deliverable and a non-deliverable substance.

50. (Withdrawn) The method of claim 49, wherein the region is filled by coating.

51. (Withdrawn) The method of claim 50, wherein the region is filled under a vacuum. A method for making a laminate, comprising: (a) providing a first prelaminate comprising a structured first major surface and a non-structured second major surface; (b) providing a second prelaminate comprising a first structured major surface and a second non-structured major surface, and a backing layer contacting the second major surface of the second prelaminate; and (c) contacting the second major surface of the first prelaminate with the first major surface of the second prelaminate.

52. (Withdrawn) The method of claim 48, wherein the first prelaminate is formed by casting an adhesive on a tool.

53. (Currently Amended) An article comprising at least one first layer with a first major surface and a second major surface, wherein at least one of the first and second major surfaces is a structured surface; and a cap layer [in contact with] laminated to a structured surface of the first layer, wherein the cap layer comprises an adhesive having a non-structured exposed surface.

54. (Previously presented) The article of claim 53, wherein the cap layer is non-structured on both surfaces.

55. (Original) The article of claim 53, wherein the first layer comprises a polymeric film.

56. (Previously presented) An article comprising at least one adhesive layer with a first major surface and a second major surface, wherein at least one of the first and second major

Application No.: 09/974710

Case No.: 55526US002

surfaces is a structured surface, and the structure surface comprises a plurality of discrete reservoirs, wherein the volume of each is less than about 20 nL.

57. (Currently Amended) The article of claim 56, wherein each reservoir having a void volume of less than about 4 nL.

58. (Previously presented) The article of claim 56 wherein said reservoirs contain at least one deliverable or non-deliverable substance.

59. (Currently Amended) The article of claim [12] 58, wherein the at least one deliverable or non-deliverable substance is selected from hormones, antibiotics, antimicrobials, antifungal agents, lotions, ointments, indicators, proteins, inks, dyes, drugs, and vibration-damping fluids.

60. (Currently Amended) The article of claim [12] 58, wherein the at least one deliverable or non-deliverable substance is in the form selected from the group consisting of solids, liquids, gels, pastes, foams, powders, agglomerated particles, microencapsulated liquids, suspensions, and combinations thereof.

61. (Canceled)

62. (Canceled)

63. (Canceled)

64. (Canceled)

65. (Canceled)

66. (Canceled)

Application No.: 09/974710

Case No.: 55526US002

67. (Canceled)